

SUNKEN ROSE GARDEN-LACOMBE NURSERIES
Showing Driveway Planting, Border Planting, Survey Rose Garden, and Lily Pool. Three Months After Planting.

CONDENSED PLANTERS GUIDE

THE LACOMBE NURSERIES GROWERS OF THE FINEST TREES AND SHRUIS IN WESTERN CANADA LACOMBE.: STEER TA

Make an Outdoor Living Room of Your Yard

Your Lendscape Plantings Increase in Value Year by Year-They are Safe and Paying Investments

The Back Yard Becomes the bar 'Outdoor Living Room'

The back-yard was once a neglected and often unsightly part of the grounds. Today this back-yard in no longer wasted but is improped and heautified so that it added sently for the pleasures and enjoyments of the household—it becomes the himility's "Cundon Living Robes"

Plantings Bring Privacy
To encourage use and enjoyment
the yard should have seclusion from
the public. This needed privacy is
g ayn'ed through suitable plantings
placed along the boundary lines of the
lot. An onco. contral lawn area.

e banked in and protected by a colorful border of shrulfs, evergreens, and flowering plans creates a yard that invites use and gives healthful recreation in the out-of-doors.

> Your Yard Should Have Both Beauty and Comfort

Within the border of taller plants there are ideal spots for those flowers had you go from the followers that you particularly love—from the tuiling of early spring to the hardy scene that date Couche's fronts. You can base the beauty and fragrance of flowers all season through in the well-planned plantings of the modern yard, the planting of the modern yard, the planting of the modern yard, the planting of the modern yard.

the street, while the adults find ease

and comfort in such furnishings as lawn chairs, seats, tables and garden houses. The outdoor living room serves every member of the family.

Use Our Plan-by-Mail

Our out-of-town customers can enjoy the advantages of our skilled designers' suggestions through a special,
"plan-by-ousil service,"
The service of the service of the

perty showing the position of the house, the walks, trees and other features with measurements indicated. We will suggest ways of improving and beautifying your grounds so that you will get just the results that you would like

What Makes the Grounds Beautiful

was the design that counts with the proper planting and maintenance. Design means everything -ir embodies provision for satisfying every requirement of form, pattern, texture, and color.

But with the plant world it is different than in any other. Plants have to grow-some of them for many years-before they fulfill their part in the design. That is why the problem is more difficult than with the decorator who can work with pigments in paints, colors in textiles, rups and floors, and create his picture in a permanent substantial form immediately.

The first requisite, then, for old homes or new, is to have a plan for the grounds. The plan is aught but a record of a carefully developed idea. an organization of the grounds into a pleasing scheme in which walks, drives, open areas, plants, etc., all play their proper part. It is simply a recorded program to follow out. In this plan there are certain plant-

ings which establish the framework of the plan, and establish lines. This planting should be done first

If the house is brand new it is important to get the framework planting done first. This constitutes the background and screen plantings, and separates the different portions of the grounds, as well as the lot from the neighbors. Where no trees are present these should be provided in the first planting program. The larger they can be, the better.

Then after all the planting is done, the picture is yet to be made. Beauty



Scotch Pine. Description on page 4.

is found in the grounds only when they are properly maintained and the plants are properly trained. Trimness and neatness play an immense part. One of the outstanding qualities of the place illustrated on page one is undoubtedly its trimness and

meathers. And so, realizing that, beauty in the development of the grounds is both a matter of starting right, then going right. Each particular place has its own opportunities and advantages. The degree to which these are recognized and developed will influence the results and often snell the difference between the just ordinary and the DEMONS!

Thus we see that beautiful grounds do not "just happen," but are made possible by, first, a well thought out plan; second, the placing of the background plantings, trees, flowers, etc.; and lastly the maintenance of the whole to keep it trim.

Don't Overlook Design GANDENING, to many people, is a matter of successfully growing a cer-

tain number of plants. Proper attention to growing material is important, of course, but no matter how beautifully the flowers bloom or how luxuriant the foliage remains, if they have not been placed in artistic arrangement their real beauty and charm is lost. Garden design consists of proper relationship between the outdoor living room and the rooms indoors; the judicious distribution of masses in the garden; the throughtful placing of interesting features and the harmonious arrangement of flowers to bring out their levely colors most effectively. Don't overlook the added pleasure and beauto you will gain from a well designed

Follow a Plan

garden.

No MATTER how simple or pretentious your grounds are to be, a plan made before the work is nonmenced will be your greatest aid in achieving a charming outdoor living room where beauty and comfort abound. A plan will act as a sort of measuring rod for future activities; it will prevent needless errors and changes, and it will enable you to check over that which has already been accomplished. Complete your

plans now before the planting season

Every Farm, Town, and City Should Have a Landscape Design

Mons and more people are awakening to the desire for properly planned yards and lawns, parks, recreation grounds, etc. In drafting a landscape plan you will find us second to none. We are graduates in Landscape Designing, and are competent to prepare a plan for you for any planting, whether it be for a small let or a large park, absolutely free of charge.

Try Gardening for Health

and Happiness IP YOU have ever looked upon gardening as work you have a pleasant awakening to experience. For pure unadulterated joy and fun, and for the most pleasant fatigue you have There is ever felt, try gardening. nothing that our hands or our muscles can do that brings the same satisfaction and the same feeling of real accomplishments as the labors we perform in the gardens of our home. Here we work head-in-head with Nature. Generous and prolific in her gifts of fruit and beauty. Nature saks that we make the most of these gifts by belging her to produce them even finer and to place them in suitable and harmonious array-and nature paye us liberally for our gardening and over help by bringing or greater health and keener lov in living



SOUARE DEAL

We give you what you pay for the finest hardy plants plus pernonal attention and service

ERSONA-

E ARE sure you will find this handbook more helpful than ever before. As in the past. we have endravored to eliminate inferior varieties, adding newer and rarer sures that are really desirable. The descriptions are brief, but we believe they are occurate, and that the plants will fully justify them

when properly cared for. We thank the people who have so generously parronized us in the past and so kindly expressed approval, not only of the quality of our stock, but also of our methods of packing, and assure them that our standards of quality and thorough packing are even higher now than ever-

You are Invited to Plan a Visit to Our Nurseries

Our Numeries are always onto to the public, and Mr. MacDonald, Sr., Manager of the Growing Department, will welcome you and be glad to show the thousands of trees, shrubs, fruits, and flowers we are producing on the open Prairie. You will see much to interest you and you will be proud and delighted to see what a wonderful Nursery the West has produced, through your patronage and co-operation.

Our Stock is Not Irrigated

TREES grown on Irrivated land make a quick growth in the nursery. but the texture of the batk is open and porous, and when planted out under conditions such as are met with on the prairies, will be liable to kill back through excess loss of moisture. Non-irrigated stock will generally be stockier in the stem, due to the slower growth, their texture is more compact and they have from force of nature been obliged to develop a bigger and better root system in order to obtain the necessary moisture. Trees from non-irrigated land will more readily transplant on the prairies, where water is not available.

We are constantly in touch with the experimental farms and foreign growers, as well as experimenting ourselves for new varieties of merit, and all varieties are given a thorough trial in our Nurseries before being offered to the public.

Our organization consists of a staff of tree experts, whose wide knowledge and experience enable them to give you accurate information and service.

Prices SMALLER and cheaper plants than

ours are always being offered. But with plants as with everything else. they cost what they are worth, Frankly, we don't aim to supply the needs of all gardeners. Our customers have asked us for a thoroughly dependable finished product, having the least loss of plants and time. If you are looking for these sort of plants. we shall be most happy to serve you. Insuring Your Satisfaction

AND now a last word. A request in fact. All our plants are pucked painstakingly. But, if at any time, anything, no matter what, that you get from Lacombe Nurseries fails to arrive in A-No. I condition, we will assume the entire respensibility. Don't just stay discontented. Write us a personal letter at once. The cheerful prompt way we make adjustments at our expense, you will find but verifies what we have said about our Selling satisfaction, and net just plants.



RIGHT :- Amely sow ing, good soil and forgprnt caltivation - the Lacombe Numery way of growing thrubt produc er bushy, well-branched plants.

LEFT:- Crowded rows and lack of culture makes for stender, pou rooted stock with little chance for giving satis-

It costs more to produce busby plants, but they're a better "hor" even though they cost a little more.

Evergreens

It is hard to realize that an evergreen takes such a long time to grow in the nursery. Evergreens with properly developed roots take from six to eight years, or longer, to reach a height of two feet. They will, however, make rapid progress to the real property of the real property

so that the train may remain true. By the time you receive an evergreen from us, it may have been transplanted three or four times. The more often it is transplanted, the more shaped planted, the more fisherout he rost system becomes and the more shaped to the properties of the pro



soil that they are grown on is sufficiently clayer so that they can he dug whole root, earth and all. Burlap is sewn right on the ball of earth, holding it on the roots. Burlap should be removed when it is planted. Always insist on halled and burlapped evergreens. They cost a little more, but they are sure. Evergreen are planted Spring and Fall, and even after heavy frost.

Since the evergreens retain their foliage continuously throughout the

per, they have a value not possessed by other trees. Throughout the Praise is Province, where the winters are in Province, where the vinters are with the mow, is a continual source of pleasure. Their attractivenes is none the less certain during the summer months, an their dense masses of color give a decided additional heavily to the grounds. It is impossible to the grounds. It is impossible to describe our between the Many of within a decided additional heavily of the colorade, and white Spruces.

provinces, being more attractive than the Jack Pine, Pines Bandalana.

WHITE A SPECIAL TO White draws a second of the control of the cont

returns with large, premaring and parlies meritain with large library like Territory, and the control of the co

GREEN COLORADO SPRUCE.— The greet form of Piece Pengent is Just as having and hathe same styling, principle, sample appears, as its manchary hapther, the "Sharine." The foliage of se-Green Calverdo Bayers is blaids green. It disher from the Calverdo Bayers Shariness sady in

pin Cabrodo Sprayr is blaid grees,
a the Caterndo B)or Sprace Shiner

PINUS, Pine

PINUE, Pine

Probage the base-brane and most procedur of all exceptions, them noble took are adopted to many prospect. They are assuming to yourselected in the proposes. They are assuming to wromentated in the certain control of the control of the certain and develop a ranged strongly with second develop a ranged strongly with a control of the certain control of th



White Spruce

WANDON PROFILES.—It was don't rype, me a ye was the profit of the profit

man tip and plan new to plant a few of those trees seem sensoe.

CREEPING JUNIPER

CREEPING JUNIPER,—Vary bow, trailing feem with soft blos follage in sporing, throughny to sich pusple in the fall. Thomps on away singue and

does optably well in partial shades.

BALSAM FIR.—The forgram Christman Tree of the North House, whose brings in a bestriffed shad press. We have a fine rapply of street, condeplaces would for the large or in the best-does.

SIBBREAN LARCH.—The Silvation Larch is a very distinct question, being of a very proceeds below, a great central to the European, which is a week to be a press of the control of the European, which is also were hard a pool collection of confidentiating where we have a pool collection of confidentiating where



Koster Blue Spruce

Mughe Pine



Geen Ash
DECIDIOUS TREES

THERE is wait away of locatiful trave witch shad their leaves in the assument. Among them are trans writish for plant and the shadow of the sh

wiff not sway in the wind.

MOUNTAIN ASS.—(Also called the Source Too).

Name of the Source S



Cut-Leaf Weeping Birch

is in common discretion of the system. In common statement of the common state

stars to prevent it from homolody struktur.

NORTHINEST DOPELAR—100 s of fit. This is distinct variety of Popular states to the Robert Control of the Contro

RUISIAN POPLAR—99 as 35 ft. This poplet is of Restina (Education) saidth and belongs to the Lunchties verifier. Producent Restitute Producent Rest

ELM.—60 to 59 ft. The White or American Elm is unsinclatedly use of the best breakfelted Elm is unsinclatedly use of the best breakfelted that the attains a long size. The them live to great age and are noted for their grantedly and unsited appearance. It is now of the choleraday of the control of the control of the choleration of the control of the control of the state of the control of the control of the state of the control of the control of the cholerate of the control of the control of the control of the state of the control of the control of the control of the control of the state of the control of the control of the control of the control of the state of the control of the control of the control of the control of the state of the control of the state of the control of th

BIRCH

This is a small family of trees with a grace and tharm all their own. Mostly used as lawn specimens or in officity, positions upon the general paper as also spatially integral of the topy of viriality is a fine open wavelend, and the light-herited kinds of an beautiful grouped at the edge of a thicket or

CUT-LEAW WESTPIND BRUCHS—This imageds care case in without specifies, the result popular and the more plantable of all pendedoes or rewised to the property of the pendedoes or review with the process of the pendedoes or results with the process of the pendedoes or returned, noticeable process and plantable plantapolitic proteam of the pendedoes and plantable plantapolitic plantable for the pendedoes of the pendedoes o



American Elm

OAK NORTH DAKOTA BURN DAK.—This is one of the root parameter and insured the out grains than been receive afficient to transpleas. Green well

CARRACHA — Elbarias Par. Ter.). Currans we starteful of the Canadita Carenavas from Short. It for consist present for the carenavas from the consist of the consist present for the consist present for the consist present for the consist present for the consist of bright prefer. It follows from the consist of bright prefer in the consist for the consist present for the consist present for the consist present for the consist present for the consistency of the consiste



Mozotain Ash



Flowering Crab-Burk Form THE FLOWERING CRABS There beautiful spring flowering trees exceed best as individual specimens on the laws.

CARAGANA CHAMLAGU.—A standard grafted tree, producing reddisk police flowers. CARAGANA FRUITESCENS .- Free Secoring. WEEPING CARAGANA.— Imported gralted andured. Splendid woming form. CARAGANA LORBERGIL A variety with



DECIDUOUS, ORNAMENTAL. AND FLOWERING SHRUBS

INDIVIDUALLY or collectively, shrabs are an important feature in the adornment of any grounds. As specimens, and allowed space for symmetrical development, their grace and branty appears to perfection. In groups they can be made to emphasize some fracure on the lawn, to screen the sarser, the laundry yard, or to shirld the porch and relieve the strong stiff lines of the foundation walls. Along borden of the laws, on banks and slopes, along walks and drives and in cornece collections of shrubs may be gathered that will give a anceration of bloom from the opening of Spring until Autumn. The Autumn color which the leaves of many varieties assume sets the lawn ablaze at that season. The brilliant berries of some sorts tempt the birds to linger, and together with the bright bark of such shrubs as the Degwoods, give a tone colar even to the gray landscape of winter. (No second evades.)

SYRINGA, name.

Again we come upon a lamily of shruhe too could be sufficiently from the could be sufficient. There's the could be sufficiently be sufficient. and a havening over of presence and soot the Lilace that make them almost things. They are a accuracy part of LHLAC VILLOSA.—A steat-banached shrub with right green folings like that of the whole frings on. The Source, which one here in paniete, are ght people in hole, resy white when open, and were regyed, Valuable for late blooming. Also good

LILAC PERSIAN .-- A over growing member of the Lelie family. It is one grantful in growth than the Purple or White Idea. The leaves are surcon polecul and of a th press thole. The flowers are pub largingles mass in broad clasters 5 to 4 inches long. The lasts blown houser than do the common Lilian.

LILAC DOSINSA (Mangarine). The hardest f all Lilten, bilatress gaters, upoight or ten lie. This waters does not realise, Will theles all bloom under adverse conditions. May be leasted on the north third of helidings or it hame or large trans. Fulling of nonembat Eighter green thus other war-nets of Lilac. The flowers are pumple. Another ond point is to flower and the top of shout son lays later than common papple varieties, therefore regime any lave frest. The Jocilian status the regime any lave frest. The Jocilian status the religit of flows \$1 to 10 deer. A wonderful asset to yar lawn or park when surber heavy placing in

COMMON WHITE LILAC, (Volgatia). Similar to S. roofgerie, with white flowers a week earlier has those of any other variety. It is also desin-tible for a flowering bedge or a bold champ. COMMON LILAC, (Vulgaria). The heat knowed of all Lilace. It is a strong, vigorous, spright furth, with dark green follows and large classes of vary fragment purplish flowers in May. A festirable plant for a flowering budge or language.

GRAFTED HYBRID LILACS

"Crapas Canalago. A for four fact."

Crapas Canalago. A for four fact.

Crapas Canalago. A for fact.

Crapas Canalago. A for fact.

Crapas Canalago.

Crapas Can "These who have never seen the French G.



Hybrid French Grafted Lillace show to five years, after being planted as grafts and my heavy, well branched bushes.

LILAC CHAS. X.—Single flowers of glowing red-violet, because in large, been punishes in great shandards. A very valuable variety. LILAC CONGO.-Nauls, deep particle sel. LILAC HUGO KOSTER.—Large, ringle fluorer in loos, open clusters, drop sed-purple in the bend, varying in crebid and lavorder when fully spite. As extremely handboom visity. LILAC MADAME LEMOINE, Medium-disyou, compact clusters of double, pare white yes. One of the most dependable of this color. LILAC MARIE LEGRAYE.-Large, single, in

LILAC MICHAEL BUCHNER -- Median sleet, LILAC MICHAEL BULLIOLE, ASSESSMENT VARYING LILAC S. DE LUD. SPAETH.—Large, single flowers in slender, symmetrical clusters, dark gray the purple without and rich dark purple within Due of the most free flowering and handlessees to the dark Libra with single flowers.



Villate Like



Spires Van Houstel

SPIREA all the flowering shrahe Of all the flowering shrahe available her on genders nome are so universally popular new offers are no next a variety of flower and form on the gradient notes are no universally populate nor offer we no general a variety of flower and forms or the skewhoy figureaus. The varieties we list use all perfectly hardy and will readily adopt thereneive to almost any soil or rituation. Some of the more compact growing floreness are assetted subjects for health of the flower general are health of the state of the stat either as single speciment or massed in shrubberies, SPIREA ALBA .-- The Meadow Sweet is a shook SPIREA ALBA,—The Meadow Sweet is a shoot-which is very morful for community pleasing, espe-cially in damp situations. It goves from 4 to 5 lact high and Sweet is various when there are two striple in bloom. The foreits are small and white, but burne in ground-sized panieties, Spirana Bilizedi is very similar on above in knob, but has

SPIREA ANTHONY WATERES,-A very freederivable law flowering hedge.

SPIREA ARGUTA,- (Soor Guland). SPIREA ARGUTA,— (Roser Ortisad). The Arquat has powers one of the most galakeney of the numerous faisant under text. The fluores are white and appear lets in May, It is the herdiest of the improved White Spireas. It is

Honeysuckie

the first as bloom. In early springples in clusies: along the de-branches giving the appearance of a It is of special value in commency in a most beautiful shrub, useful ful skeats, Its narrow, bei group pinatings. He narrow, bright grows me nanone yellow and orange tinte mur the of the manou. The Arguta can often be pin effectively in front of Spires V. H. As flowers begin to fide it seems to pass to unfolding Bridal Wrant, thus giving its we HOUTTL-(Sameler

SPIREA VAN HOI Bodal Wrestk). This S produlous growth with SPERA VAN HOUTTII.—Commission College Edid Westid. This jupies in of weight bed-prediction growth with a foliage of min gave year the college of the property of the Very gazzella and commental even when not in bloom. When covered with dear cleans of pass where favour, the angle of the white head yearsty a man of heartful citch white. It has present a man of heartful citch white. It has given to bloom shout he lines the figure Ar-

SPIREA BILLARDII.—A streng georee, ne-right in halo, with repl-trouw branches, dell geren folloge and design patient of bright pish fawers. Blooms during July 446f August and occasionality during the Inf.

SPIREA OPULIFOLIA .- Brilliant golden foliage. SPIREA SORBIFOLIA - (Sometimes crited Arb SPIREA SORBIPULA.—Chouseinest cited As-landed Spire). A vigorous growing shrib with large handsome foliage resembling that of the Mr. Ash. The while flowers are bosone in lead griter. The inlings episters very early in the spring. Fewers during July.

SPIREA PROEBELL-Flowers bright may red SPIREA PROCESSAL—Players bright may re as fast chosies, produced during July and August This is one of our facest Spiress. Excellent a a border should. Follows, towns people in the Fall. Branches willowy. Should be in ever COTONEASTER.—(fometimes called fiderine Poloni). This is a dear growing abruhe with followed is the actions by drift and benton. After the fast front in the fell, the follow-monature more strengths each make the monature of the first policy of the and one of the late to lose its follows and account. Speciald in the fell planting and the account. Speciald in the fell plantings and the

out en budges. CONVEYED MARKET A smooth dead or small GINALAN MAPLE—A gracted sheeh on see with knodown foliage teering highly reduced to several terms of the second which is being used by leaders are related speed, and in lather holges to the teering one of the second second second in lather holges to the thirty and spind graving varieties of the Marmily and should be more attentively used principal components of the second secon

BONETSUCKLE.—(Leniers Turnsies). One of the harfour and most seatened of fewering shrine for the Nonthewest, Basis a multirate of sweet overest distincts in the fating. These are his control distincts in the fating. These are his should be sensored and Infl. mellage it a highly consensated shrine the most the work of the seateness of Infl. mellage it a highly consensated shrine branches and the winter. We have many thousand, of these beautiful, hardy should be described from spring until the winer, we have many thousands of these beautiful, hardy shrule growing in our Narredee in the pick and white flowering varieties.

STEENAN DOGWOOD.— One of the shruly for shirty stems. Also does seed in evaluate for shirty stems of sould waite flews early sommer are very skiety and are foll-in such full by a predicate of which berries making the shrub divisity consumental of mildriens. In a shell because, however, is back which turns bright remote as gattern procedure. Plasted excensively for window dore well in hall white Reserve is and are followers or of which-bla CUT-LEAF ELDER -- The leaves was of this va-CUT-LEAF ELDER.—The leaves or their rivery now form-like in formation and she is in of a holf-dromping habit. Longe clusters fargrant white flowers are followed by the black between. Will theire in shedu.

COLDEN ELDER.—A variety of the Euro-ean Elder with large, bright yellow foliage. This flowers appear in July in large, flat, howy distress. The next showy of all golden-terfed shrales. Sometimes winter little down to assemble the thought states up with a states assemble that theyer states up with a states White flowers and the most showy clusters. The most before detailed forestimes will be bet always state many line but always state mean the ground a bet snow line but always starts up a growth from near the ground and it sayin as shown as a hed of a d in RED ELDER.—This differs from Can-Last El-der, chiefly, in that the berries are red when tipe instead of black.

SNOWRALL.— The old indicand Enreball. Its large globuler clusters of pure white flowers in May and Juny lawy unds it is conspicuous

should in the gardens for many presentions. While this bash will grow and bloom in some sections of the Positic Provinces, when given procession.

CUT LEAVED SUMACH -- Good for plant CUI LEAVED MIMACH.—Good for planting in shady nooks or naming undernants none talker growing sorts. They are particularly enumerated in late formance. Deeply out, formille foliage, it is of sprending helps, with large, long, fine cut leaves which turn up a heavilled guiden color in the Fall. FLOWERING CURRANT.—A native species with golden-reliev flowers in showy encount. Then have a apicy frageriser. The frels is usually black but occasionally there is ness yell

TAMARIX,—A distinct type of shoot, having learns according this the Junger, crise-sed with delicate pink howers. While it may freeze back in winter it grows rapidly and is unfold for BUSSIAN OLIVE.—A showy shrub or anoth gruning tow. It has silvery, edit-cible laxwe, ashout there inches long; light green show and silvery white beneath. Small pelicer flowers, Used by Indexups preferent for beavy (wings corrects) affects. It is also valuable to beings. ROSA RUBRIPOLIA, Radionned rair. Sheeder, needs, pargicish hannelses, everered with a blood statement of the foliage is blooding stores, singular statement, and in very effective as a coloned skeed for fine terms are tang and very levisid pink, apartic.

FLOWERING ALMOND.—A perious spring bloomer, with pretty pink flowers. Very sheety and hardy. Such type of Sovering Absond. NANKING CHERRY,— Very fine nenomental shrub, dense lulings, pink flowers, followed by height, scather fruit. (Described july nest page) SILVER-LEAF DOGWOOD, Corons Favigate Silvy S.-Life to the second of Mexican conditions. This variety is of some what shower growth than Corona Silenies, In grows about 4 feet in height, Int red back makes it bright and attractive in the Wisson. Pelisar is light grees bringed with white or silver. A striking plant when massed with other

AMERICAN BIRD CHERRY— (May Day Too). Freeziblet the thele theory has date assisted. Introduced into the country by Paid, proceedings of the country by Paid (and the country by Paid) (and the country by Paid) (and the country between the series are the series ar STRUMBAN CRAS.-The delicate

MBERIAN CRAB.—The delicits pink and white thickness of the flowering Crab, fullamed in secon by the small highly colvered freis which can be utilized for preserves, but already assist this tree popular with all garden lovers. Height 3 to 6 feet. This is one of the hex sheaks we have, and we can recommend it highly.



Golden Elder



CARACANA ... (Power) The Audies of all deard bedge skrabs, A dwarf, Yow-growing, donor Caragona with Eur Korbe and foliage. Green to a bright of 2 to 3 It, as manufay. Flowers, poldes sellour. This perion of Sharin susembles the Burberry in appartance and is one of the very but dwarf heigh and border plants.

VINES AND CLIMBING DIANTS VINERS are the gardener's greatest

aid in covering up mistakes and concealing ignorance in planning or constructing anything from a garage to a spite fence. They also mitigate the harshness of nature, throwing a mantle of beauty over dead trees, unsightly rocks, rough banks, but they have a more definite positive use, as well. They enhance the beauty of a wall of brick or stucco or stone and provide the only excuse for the lattice trellises and earden arbors which are so shundant in suburban areas. They are good-natured, sheltering, friendly plants and ought to be used renerousle wherever there is need for shade and comfact

VIRGINIA CREEPER, A native vise, of rapid growth, with large Invariant beliage, which in

SWEDT AUTUMN CLEMATIS, Cometo Tenratio. Be for the hon of the full-bloomles one ries. In theires best in years alterations, and will mend arrest proming in prison, A beneficed grower and profess bloomer with fine foliage. The flowers are mediamotical, very fragrant, and am horne in great profesion. Yellow,

TRANSCENDANT. One of the vary hardient for the Frairies. Govern larger than the Whitney. Fruit medium to large, height not. Excellent or canning, preserves or jefty. Fire gained, acid. Riports from of Suptamber. The variety is

These frees do not grow cucha to first two. Fruit medium, fiesh five, notringent, color deep crimets with manons. Colors into herring while

FRUIT TREES AND BUSHES

EVERY farm should contain an acre or so for an archard to assety boms areds. and every town lot has space for a few fruit bushes. Mase and more the people of Western Canada are conting to realize that they can raise hardy fewits them-

trees or a good fence, it is susprising the numbte of varieties of fruit that may be grown. We grow We grow and offer for sale that have proved themselves hardy in Alberta.

APPLES DUCSIESS, Duckers of Oldradory, Or Russian DUCTOTAD. Dealers of Otherhory, Or Russian origin, hereby and of susceptionary vigorous growth, One of the hour all-housed Applies for the Prairie, Riports corify. Prairie International the Duchous as one of the story virties for the Burn.

Professor Hensen says than very valuable an accessed of its ability to with-stand the rigorous climatic conditions of the Prairie Poorieses. First large, variety greenish yellow with a dull became mixed red on sunary side. Flesh yellowish, ority, tander, july, and of optendid quality. Very certy and one of the handless applet known.

WEALTHY,—Originated by Proc M. Gidene, of Minastone. This cost is herely and very profile. Profits younger than the others. Fruit medium large, cells and even as so the first medium large, cells and even the profile of the state of the profile of the profile. The variety is giving good results at over the Posities, and large crops are being harvested every profile. CRABS

WHITNEY, Balony Sa, Cr, can reveal in Whitney hat itsed the term, and has preced in worth on the project. It is vigorous, profile headers fording obta trave as usual, cleaned to headers fording obta trave as usual, cleaned with red to almost and on the unexp side; that it rick, piery, and five parished, almost rough in factor, the form is spheidal for atting fresh, as the side of the control of the control of the Same who was the control of the control of the side of the control of the control of the con-trol of the control of the control of the con-trol of the control of the control of the con-trol of the control of the control of the con-trol of the control of the control of the con-trol of the con-tro WHITNEY, Whitney Sa. 29, Silvoien. bitsey has stood the tags, and has preceded such on the appoint. It is vignous, and

PLUMS AND CHERRIES

Authorities agree that the most certain method Authorities agone that the most carrier for or of growing Apples and Fluenz is the Prairie for process in the silvent to treat to learned how and grow in hand feets. This protects the tree free some excited and the Irais from strong winds and extra from. We says that this method be for lowed extrary in Sudatcheran where the cleanar in near server. More ground articleston will more severe. More present natisfaction to

ishtow it is also askepted by the pleasers of Alberta.

In the property of the temperements which have the market brough the crossing of analise spaces, for earliest spaties; from the manney again, for earliest spaties; from the manney again, for every large a small boson ovelvarit that would pro-vide large supplies of frank large.

OPATA—(P. Beneri -) Gold P(sm.) or epicine, is the best of the feedure tyleride for planting throughout the venture. Unsalty hear the second re-Provinces. Untailly beer the second year after transplarating. A cross between the food Charry and the Gold Plons. Vigorous grooms. Feel, durk pusplish red. Flesh, green and fees. The face of the Gold Plons. Per small. Season said; of the Gold Plons. Pr. small. Season said;

Henry beaver, \$AFA-IP, Bennyi -|- P. Salicia.) Originared by Fed. N. E. Beznar. A cross between the Worster Sand Cheery and Solice Japanese Pour. The front is dich blow with glassy this and deep-red with Solice. Blasses about a week later than OKA. Originated by Professor Hannes. a dark purplish red coverful with More Medicines Error. Regular around between producing some first the pers since plessing gesting into Itali basing very quickly there

MANITODA FUMA. A notice of the New MANITODA FUMA. A notice of the New Peples, They do not relate from research they work received the New Manitor translate. While not profited they produce the new York of the New Manitoda Fumarou of these thousand from the new Manitoda Fumarou of the new London and Jones Manitoda Fumarou of the new London and Jones Manitoda Fumarou and a manusal them. They help a related to the new London and t COMPASS CHERRY-IP. Besser 4: F. Her rulens Mineri.) This froit, originated by H. Kaudees of Springfield, Minn., is a cross between the Sand Cherry and Minn. Flum. The tree is

BOCKY MOUNTAIN CHERRY—(Fuella Bosseyi.) This is a native cherry which is to a height of three to four lest. Through Modelly-served and the first Drovate duties and the first samely fits both bears large first bear large from the management of the samely fits with bears large first plans the native final Cherry and in of volce in the making of pine, items, labeller and attect, it is a vigerous grower and in absolutely handy. As a taken, it is not value for example, and which, it is a vigerous grower and a should, it is a disable final plane of the pine of the p (POLLINIZATION)—It is best to plant two or autor varieties in the occhool. It is also advisable to not have either trees or observations in the





Hibernal Apple

where to increase with cross policization. The locky Measures Cherry is at particular value in the policization of plans trivi. This arrong bloom-g variety should be planned between the larger

CURRANTS

The Contact should be given by every home-crease who can user the ground. It can be grown in any roll that will produce a crop of wheat or positions. In the order parts of Casada, the Carried is popular as it is a core product. It is a healthful and refreshing fruit and deserves peaced propagation.

TAYS FROLIFIC -- (Red.) Pool. Househick-Yeyr is one of the born of the large-friends Red Corrects. Coloures and horize nor large and Wo? The barrier are dealt red, jujezy, and this skinned-wealther that mostate the Iral own of the hard wealther that mostate the Iral own of the hard comman and judice. The househow we conclude the large that the Iral was a second of the Iral Colour and the Iral was a second of the Iral Colour and the Iral Colour and Iral Col

WHITE GRAPE—(White.) White Grape is distinguished by having the Inspire distent and heavier of all submissional Contract Post, Mescan, Descision Heritalitatis, sars of this Grantsto-White Gape is most revealed the Contract White Gape is most revealed to the Contract of frein sed good quality. The bods is knote, supposes, and express which makes it opequishly calculate for this neces, give, and

BOSKOOP GIANT—(Black.) In England, solving Giant is stood as the best black Current, receiling in Professor Headnick, Large, week, oldy Strong berein, Vignoon, productive broken.



De Seto Plum

GOOSEBERRIES

CARRIE-Originated in Missessess by the little Wyssen Elliet. The fruit is larger than that of the Haughton, rours a deep mercon in roles when type and possesses are sarefron flavor. The hash from thorne making it the less to tick. Upright grower, of this wariety lies in the varieties on pick. passed of all varieties to tice. Upongs grown, One stoong feature of this variety flex in the superior health of its foliage which stands our goesn and beautiful when other varieties planted an begun and sported with rest and

green and BETA GRAPES. We have posen grapes in our Numerics for a number of years and while the frest is slightly smaller than some imposted xud-cion, they are well worth goosting. The Beta is the hadden of all, a small black gauge of re-cellent factor. We supply tage pare old roots.

RASPBERRIES MERBERT, Imperced red. An old

cener steater and taller then Eurobeam, barrier large, and of exist good quality. A leading storag gooser, and an absolute cropper, We always have a heavy sale of this spiradid variety. Cases should be best over and centred with sale for witzer, to instear crops the following summer.

RHUBARB VECTORIA, Victoria red or Strawberry Rhu-arb. A fine flavored, tender variety, makes should recovery, from trace or pies. A great

harb. A fine flavored, trees or pies. A a sphendid preserves, fresh strong or pies. A a sphendid preserves, it is add course green varieties. NEW RUBY RHUBARS. One of the frost Rhyburbs in the weels, brought out by the De-rivine Experimental Farms. Exhibited in com-prehim against all other Bindards and awarded the highest beams for flavor, color, smeatness. We Sweetistic in the "New Rhodars." McDONALD RED. Originated by McDonald office, Oother, Long stells of fine red Rhubert

ASPARACUS

AND ARAGUS. The early repeat regardles and the control of the cont





Rocky Mountain or Sand Cheery

THE NANKING CHERRY A New Introduction

THE NANKING CHERRY, (Propos tomentoss) sometimes incorrectly called the Chinese both cherry, we consider one of the more promising of all fruits we are now growing in this country. It is a native of Mancharia and grows wild in the northern part of that country where the winter temperatures are much similar to our own. It is cultivated by the natives and sold on the markets in con-

similar to our own. It is cultivated by the natives and sold on the analysis is siderable quantities, but very little has yet been done to insprove it. We im our seed direct from the University of Nanking, Nanking, China, in 1923. The Nanhing Cherg is a very binniful ornamental shruh with a heavy dark green foliage. The word "tomintons" indicates the hairy nature of the under side of the leaf, it comes into bloom very early, sometimes before it has developed any leaves. The hash waitally hughn fruiting when four years old from

seed, and while there is a variation it is as a cule a fairly heavy cropper. EXTREME FARLINESS This new cherry has several natistanding qualities The fruit is ripe usually the third week of July, which is about three weeks ahead The frame is ripe assembly the third week of July, which is about those weeks absent of the Sand cherry. The beautiful bright red cheries average a little over half an inch is give, and have an extremely small pit, When in fruit the bush is, perhaps, were more attractive than when is bloom. The fusit varies in causity as is natural with all seedling fraint, but practically all of it is good for eating raw, while it makes jelly equal or superfor to any that you have ever eaten. SOME OUITH SWEET .- Technically we believe this fruit is in the some

cherry class, although we have found none of the fruit as some as the commercial sour cherries. Most of them are very palatable, and we notice visitors and children in particular are very partial to them. On one bush we find the fruit is almost in the sweet cherry clear, and particularly pleasant. We are looking ahead to seeing the Nanking Cherry grown all over the praities and proving about as popular as anything we are now growing. By selection we believe that within two or there generations. (10 or 12 years) we shall have this fruit up to at least a threequarter inch size. (Should be in every abrubbery planting and orchard).



A Rose Gooden of Formet Desire

ROSES

No one needs an introduction to Roses. Everybody who has a few square feet of ground would like to grow them. We have chosen varieties carefully to insure a good start. The soil should be prepared as for a good crop of vegetables, and be kept thoroughly cultivated about the Roses all season. They should be fed liberally with liquid manure made from fresh cow manure or from the commercial dried sheep manure, and should be dusted with sulphur and aremate of lead regularly to keep off the pests. Cut the flowers freely. Roses should be planted deeply enough, so that the union of the bud

and the stock is buried about two inches below the level of the soil. These simple methods will insure a bountiful crop of supreme flowers, and we urge all our friends to give Roses a chance to show what they

enn do.

Winter Protection Tax best method of Winter protection for Roses is in the Fall to bank with earth well around the roots and branches and then cover the earth with leaves or straw. For the Roses

A NOTED Rose grower, in his trestise, "The Rose," says:-"He who den must have beautiful Roses in his heart." The conlication of certain remedies, therefore, is not all that is required: you must be virilant and watch your Roses carefully if you want them healthy.

APHIS.-This is a small green louse, when fully grown about an eighth of an inch in leagth. If your Roses are troubled with ants, watch for the aphis. A simple remedy is to smoke your plants with Tobacco. The following formula will prove beneficial: Quassia, or tobacco stems, 4 oz.; pour on a gallon of water, and boil ten minutes; strain, and add 4 or, soft soon; apply when cold with whisk broom, or spray with Blackleaf "40."

MILDEW.-This is often found on Roses when they are shaded too much. A continuance of damp weather also produces mildew. The remedy for this is simple, if taken in time, and consists of a sprinkling of soot or sulphur. This should be applied either early in the morning while the dew is on the plants, or else the plants

may be sprinkled with water and the remedy applied then, so it will adhere to the leaves. RED SPIDER.-This insect is found

more commonly on Roses grown in the house, where the atmosphere is dry and hot. They are very small. but should the foliage on mur tender Roses assume a yellow tinge, watch for the red spider, a reddishbrown in color. An application of whale-oil scap, dissolved in warm water, will usually destroy them. As the red spider is found on the under side of the leaf, it is necessary to use a bulb syringe for this solution, to throw the water on the desired spot. It is well to wash the plants occurion ally with clear water when using this solution.

SLUG.-The slug is the larva of the saw-fly. The female flies perforate the Rose leaf in different places, and deposit their eggs in these incisions. These hatch rapidly, and the slugs feed on the foliage. Powdered white hellebore is the best remedy; a solu- Rosa Hansa. One of our best Hybrid tion of whale-oil soap is also good.

HYBRID RUGOSA ROSES This is a very interesting plant of Jupos origin. The flowers are double. The pin is highly senamental on account of its a habit and huntiful glossy foliage. They cuttenedly hardy. HANSA --- Red Droble Rooms BANDA,—Red Dondée Ragues Hybrids, large, doubles, doup red Rome of pleasing greener. In thes line water, and he not red clars, the bods of each cluster open school to clars. The bods of each cluster open school to clare. The property of the clare of the clare of the control time. The follows in particularly dath tink yours and the bealt large, it is opthop the bost Rose for pres-placing in Monters Causale.

planting in Western Canada.

GROOTHENDOSEY— Cheer, height script
Regnes. This veriest has the steam, institut
fedups of the Wagnes Raws, and the low gave
ing abolt and continuous blooming of the Bale
Rambler. The Revers are menty double. The
are profused continuously from early common
auxil cut of the yorld weather in the fall. It is
very effective, not copy for planting single a
questioner, how for Induceys smoth for the

blockers.

PINK GROOTENDORST. — A charging bright shall pick visitation of the scarler F. Grootenshers. I has it is all other supports or equally valuable. We find it very possible to the control of th -Note in the man-SIR THOMAS LIPTON .- (Double White) Very

AGNES,—Originand by the Inte Dr. Sanders by Oraning R. France with P. France and December 1998 and Decembe protection. Does not seed, it ast Gold Medal by the Am

BELLE POSTEVINE -- Deal spaces. Foliage heavy. One for and satisfactory Hybrid savily the first record and MEE ANTHONY WAYERER.-Large, limby CONRAD FERDINAND MEYER-Silvery SLANC DE COUNTRY .- Pore mbite deable. AMELIA GRAVEREAUX.--Very fine Rugger no. Dum carmine sinh.

AUSTRIAN BRIAR ROSES PERSIAN YELLOW,—This is not a Rugoto on, but is posterely hardy. It is a strong growing bash eyecyed in early Jone with a mass or acid somi-double, golden yellow facust. Theires 1 say sell. Month saves be pressed back.



Rugora Roses



What could be finer than a well arranged Perennial Border

HARDY PERENNIALS

No avenuerazono flores locar nenda to be told about the importance of hardy perennials in successful gardens Regioners should understand that these plants are long-lived, growing larger from year to year, and it the soil is well and deeply prepared for them at the start, they need not be reset for several seasons. They comprise most of the showing and the strongest-growing flowers, and must form the foundation of any garden. They exue in infinite variety, rang-

ing in size from the tauest edging material to tall, robust plants sustable for massing as a background, and in color through all the shades of the rainbow and a lot more. A randen wholly of nevernish us

possible, and it is a delightful game to plan its arrangement so that one variety may succeed another in bloom, and provide a season long procession of different flowers, in ever varying torms and colors. For heat effect it is essential to

plant in clumps, masses, or drifts of one kind. Such masses should be large enough to do justice to the flowers. The bigger the plants grow, naturally the fewer are required to

in it is muc it is sign database in April 10 Lewest to be night even a plant. The season or the one of the country of the manageral on the areas the substitute of the parameter on, one pared the incidence of in 10 his pictures on one to the the case the carried only be pictured from the the carried only be pictured from a 1 to 10 to

to reg 1.5 t. gTar. Pract., Vary pure when a set it produce blomes throughout he extent name. Vary good for cutting Especially suitable for dry locations. But will gown anywhere it is it in the location of the cutting the set of the cutting the set of the cutting the set of the cutting the cut SCAPATTEM. Chinehabase Namely late removes and services Reserving The

names second agraces to get onto her best parder ANTHEMIS ANTICEMIS

You flowering perentials with dequaty on foluge and despitals flowers: Socialist for edgings or
according on the margin of bookers. Famous are
marchally fast for cultists.

make a proper display. Generally, however, at least five or six are reourred, even of the largest kinds, and

the smaller sorts should be planted by the dozen or even hundred We have grown perennials successfully for a number of years, and our acreage has been extended from year to year to supply the increasing de-

mand for them. We add new and choice sorts every year, and our stock includes an unusually large variety. In our descriptions we have indicated the height each plant attains and the months

when the flowers sopear Too many people try to make gardens by using only one plant of a variety, a procedure bound to lead to disangement Three plants at least and better still five or ten of a kind are almost always precuary to do

justice to a variety or to produce the mass and color effect desired By consulting the following list one can plant a garden or border

which will produce a successful bloom from ear,y spring until late in the autumn. All our plants are strong, field-growing sorts. THE TIME TO PLANT

need need from neuropers grow eyes them the best have ever seen. Three who much to pe best already much on-and bendary assesses in a preshood base work of heared.



Hollyhock Delphia, sm

BOLTONIA - One of the section of he plants, growing 4 to 5 feet high it has p white giver the Boners, produced in grant i white giver the Benery, produced in great remain has not curring. July to Septem SLEEDING TIPART - Amelia wa and for the planter of repetito growth and a produce bloomer Blowers and it all angular to began for the control of the produce bloomer to be a produce bloomer to be a produce bloomer to be a produce to be a produce bloomer to be produce bloomer to be a produce bloomer to be a produce bloomer to be writted unexalized, best thaped flower, as to be stated on a flowering strike. Fall or manifely was said at most affective at a time. Breeden Heart succeeds supplied and in opening said to opening said to the best below the flowering said to the said of the said to the said to the said to the said to the said said to the s

CLAMBANE Jesticos Remarkably grace and heartful personants, intersectly for the m of histo Romes. For hardy plants a coul them in heavity. They are ofted with for part ally shady booken. The spaces and concur attentions and been of

CAMPANULA, Participlia Amoust rades personaled of non enviroly on. One of the most popular and absorp heigh personasis, rate border cliptor. The flowers are all plug and whote on galler, and the height is 1 and. They make as effective descript when gover as climpy in

COREOPSIS.—A useles and appropriate between programs, both for burder and set flowers. Day are no easy cuttons, and product the golden price flowers in protocons throughout the

SEMBET A DATSY Hardy presents of every culture and expectative networks for their free-calculate and expectative networks, but their free-class is filterable for the Shanta Datsy bears and while Bours's on integration and in the beat was and tags, which forces towards and tags, which forces towards in plant on plant on ber's white Source towly um June to blaumon theaty Danvil is a European CORNELOWER ARTER.—Powerst Conflower Grove I I: high, bearing large visibilities flowers room I v to Supermiter

DELPHINTUM COLD MEDAL HYBRIDS.--They on made up

SLD MEDIAL HYPRIDS: They are made up the littlewing strains: Blackmays, and Lang-Mirache. Servant's Reimays, and Vember A. families with Displantions is taken than from an extend at sweet and mill-known fines are careful atterers and dieta. 5 to 6 feet June to July specializat. Fino 6 feet laws its July FASSE, 18 July 18 July

Bleeding Heart, Desigter

NEW AND DISTINCTIVE DAHLIAS THE popularity of the Dablia increas-

one year by year, is largely due to the wenderful development in recent years in new varieties, which are such improve-ments over the old types that the Dablia may now be called the Queen of Autumn Flowers.

Among the hundreds of new varieties extroduced we have made a selection, after a careful test on our trial grounds of the regard to color, form, and arre-

Cultural Directions Select a well-drained position where the plants will receive full benefit of the one during the greater past of the day.

Any good soil will answer, should be well drained and in the case of stiff day the soil should be loosened up with sand. Dig deeply and use well decayed stable manuer as a fertilizer, or if not procurable, pure bone racal or sheep manage

Plants should not be allowed to be-come thesiad or swarted in growth. in order to flower fresly. Water thoroughly through the dry season or else process roots by mulching.

Winter Care.—Tubers must be stored an cellar for the winter in dry sand, with crowns turned downward to prevent soc-



More gardenery find that Chadjole approplantes with the early-demonstral possessors, minor my among them and take possessors of their spaces when does are through bloqueray their group a second variety of very devivide bloom. If moves they are subsected when health by themselves, and that it really the liest way to grow these lies shoot ap thest spece they are appointed when become by that it really the heat may no evider garden display or for fine.

GLOBE THISTLE.— Intenting and shows the first plays; with globeler bands of domestic blood for the matter of the flow flowers. Which can be doned and remain attention for a long time. 2 to 2 inst.

GAILLARDIA.—No plant in the hardy flower greeks preclayed marrier all summers desp course preclayed marrier all summers desp course policy or tool, with bleck hand more than proupe. 2

GYPSOPHILA BABYSBREATH -- A most precedul plant eventual white Bours in fastlery panets. Vary totals for tel Source, during the sources 2 feet July August.

DAY LILLES - Bustills hardy permanels in seagust to the sity order. For generations prac-ancers in 3G gentless, both here and ablest. The Avenues species have long, native inser-ed yellow on length forests, takey of wheth peaces as delighest longranes. Very peaceful and tribly policy for the networks accordinate in

plants for the materacle, nationalisting growing in the portially shaded his 1R18 Trime appear both to the connonserv who en-syst their definery of testure, lineary of form, and may be considered, were modified by the sele-rity of Satu shedows, and reflections wholes the morphistry of Satu shedows, and reflections wholes the morphistry of the fineer her also no the com-oline of the selection of the selection of their original properties of the selection of their resistant wild applies to give anywhere and bloom

The Lacombe Nurseries-"BUILT ON SERVICE"



Japanese Irus their heads off without pay excessor at all.

They mask smoog the most important of all places and there she top of the personnel insurance.

GERMAN IRIE, Tell Scended frie. This class of life is particularly adopted for with gorden, threshopy basels or any well-durined genden and They believe seeks of their versity of more and halve. Very padel for ceiting, the body speems rapidly in water rapidly in waste. They should be played in full scalings, in well-drained soil and it is conceiled that a little limit new and them is bandful. They is statistical project among the function squaret some learning and furnitaries at smally accomplished by the enditioned or areally accomplished by the

JAPANESE IREA— Extremely showy places, having extremely allowed to the harve extremely allowed to the harve extremely allowed to the harve extremely allowed to the month tour the German life extremely, which is allowed to the control of the large extremely allowed to the life extremely allowed to the large ex of parametry. They are un discover for

STREEPIAN IRIE. Long, greaty foliage and plander flower assess. Good for control

LILIUM, Lay

The Likes as a marricology becayed and randown case on a marricology becayed and randown case on one of a peer and of attraction as all personal places and. The which which are not being became the peer of the

ELEGANS LILY -414 her A dwarf mort bearing charters of evert flowers verying from crange to deep marcon. July and August. TEGER LILY-2 to 5 lest Nulline, bright TIGER LILY —2 to 5 less Nodding, beighted flowers, thickly control with large peoplish specia in a pyramidal aluster. A thoroughly old lacknowled and remarkably outlet past. Again

TENUIPOLIUM, (Coral Lity)—18 septem July. Sheuden augment-leaved plants with a fan-denning smallest flowers of coral and variables. Very group and shows.

HELIOPSIS Golden pellow flowers about two-seches across Pairly toll gettering and o branching laths Line bloomer September Fi. SWEET ROCKET - Very early lifet flower in disease. Hospitals in the Gook model 50 remains when it is very sweet-scrated 2 for August to Engagetie.

LUPINE LUPINE
The Lupines are a coming flower. While they have less, been grown to a limbed current, we are not provided the posterior and them beautiful plants. They delictly in day, sensor expellent plants. They delictly in day, sensor expelicitled. A good healthy booker of chem at resided in heavy only by the facest Dophamisman form in the faces of them to resided in heavy only by the faces Dophamisma.



Grant I i Ambanadour'



I um Tigenum Tigit Ing



Gyprophila and Gaillardia Dauy

they should be wheated by the discuss or the (Teeffee). - Robust andal branching, foliage grayish green, flow-

ORIENTAL POPPY .- Temendom co shaped blooms of brightest common-scales, with large, purplish black bloodes at buse of petals, creating a wonderful contrast when of penals, creating a wenderful contrast when blecom is fully open. Clamps of these throughout the header and a holliancy that no soher flower can provide. The proper planning season for hald grown roots of Pop-ples in deving the last of August, September,

of October. 3 n.

CHINESE LANTERN PLANT.—1 to 2 no. 2, the series with white he forest. Large, heart-shaped forest, with white he forest. Indicated in the assessa with regre, bright, cond-red frair, enclosed in a reliant energy-red, halbon-shiped bag of for. brilliant erange-red, halloon-shaped bag of FERSIAN DAISY.—A gover of great de-caration value, producing large, delap-like blossoom from white to crimoon and scotter. It is construitly in demand for cut flowers during the server, 2 ft.

JACOB'S LADCER,— Excellent herder plant with ecanocental leaves and large boods of sky blue flowers. 2 ft.

TULIFE (Supplied only in Fall)—When the sector has a good and the systematics for the fart sector has a good and the systematics for the fart sector as a fixed of bright indused, confidenced trains as a fixed of bright indused, confidenced them is not core with five scholes of seath, and to provide good self select in which room may farther. We enough only the change, No. 1 bullet, SCARLET LYCHNIS,—(Maltens Cross). Jenes mid-July. Brather Sources based in presid serviced breath. The arrangement of putals recentless to Malters Cross. 3 ft.



Therese

PEONIES

"Under the sunbeams spread, Their flame-like rays and mantle red," THE Rose without a thorn, Known also as the fashionable flower, or the flower of the century. Peonies are the most beautiful of all the hardier. showy berder plants and will thrive under almost any conditions, whether in beds, borders, shrubberies, or even in lawns. There is no other plant which makes such a magnificent display of colors. The flowers are produced in great profusion and in an endless variety of lovely tints. Another merit of the Peopy lies in its beautiful foliage, which causes it to be almost as attractive as the flower. They are very hardy, and certainly no ourden is complete without them. We are specializing in this beautiful flower and are importing many new and rare varieties for trial in our nursery,

Peonies should be planted in mellow NOTE.-We have 75 other good varteties of Peonies in stock,

FELIX CROUSSE (A. P. S. Rating 8.4).— Brilliant rol, ruley farme-colored centre. Large ball staged bloom, Fragueri, Free bloomer, Large

RARL ROSENPIELD CA. P. S. Reday \$.8) ;-One of the best dark reds. Very strong, large
end striking. Excellent for cut Femore. Mid-

ADDOLPHE ROSSEAU (A.P.S. Rating 8.8) --Deep belliant Gereat; tell gover; sarly, in MONS JULES ELSE (APS Hating #3).— This is said to be Created resemption. Base-tiful gloop yield. Touracton flower, \$1 to 7 leads it discusses. One of the leaders of the out flower wateries. Trappart. Early. SARAH BERNHARDY (A.P.S. Rating 9.2),— see of the streepest growing of all Passies. One of the strongest growing Flowers in clusters, color apple silver tigoed. Francisco. Francisco Extra fine variety.

RIBBON CRASS.—Verlegated SCARIOSA,-dois Liles. Vigorous. Jess to

soil, and with the tops of the buds from two to three inches below surface level. Peonies planted too deep will be delayed in blooming. Tramp and pack the soil firmly around the root, but do not tremp on top of the plant as this will injure the even Many years of experience have shown us that the best size to plant is threeto five-eye divisions. We do not believe in planting smaller or larger roots. We make these divisions by dividing not younger than a three-year old. Peonies may be planted either in the fall or in the spring with equal

success. From the many hundreds of varieties we have selected the following as among the very best. We are among the largest acorners of Pennies in Canada and guarantee that no substitutions will be made in varieties you order. Note the high rating given by the American Peoply Society, perfection being rated as 10.

RUDBECRIA,-Com Flower, A very effective less answer and naturns booker plant, 3 to 6 ft.

TROLLIUS.-Large lemon yellow, buttercup-VERONICA A family containing some of the most best-sobjects for the kirdy garden. Given a well defined soil in an open situation in our, they will there in an emailer parame-



Veranics. Speedcools



Oriental Peppy

Persian Daisy, Pyrethrum



The problem was what to do with this bank, and, of course, the plain terrace was considered; but there are not to be too much of it, so, frankly, a "teckery," not a neck garden with all its echoentems, was decided upon. We last Rockery Plants appearedly,

ALPINE AND ROCKERY PLANTS Personnials in the Rock Gorden ment from the soil, not the nicks. There-

fore, have more plant surface than rock WHO doesn't like to try out something just a bit different? Gardening is surely no exception, and if you want your garandres den to have the spice of originality, why not plan to have a rock garden? Rock work is charming for small us well as large developments, and enables you to surjey a beauty spot not obtainable with the plants will not get sufficient moisture.

In placing the flowering plants, consider their beight, color, and adaptability, the usual flat landscape arrangement.

Rack Gardens New and Interesting NOT only is the building of a mekery one of the most interesting phases of gatdening, but it is likewise an effective way dening, but it is intervale an effective way of ideling a modern note to the house grounds. No matter how your gardens are accaseged, you will find some natural opposituaity for a rock garden. An unserten piece of ground, a belliside, a ravies. or the banks of a drive or walk-any of these natural situations can be transformed into a distinctive rock garden. Even a and thus sever as the foundation of a

rackery. The planning and contraction of a rock garden will the your imagination and enthusiasm. Soon you will discover the ferginatine unsubilities of creating dimirreive mountains, guiding an infant stream so that ministere estavacts tumble over the rocks, and directing a tiny till along its winding way among the ferns in the valleys.

A rock garden should appear as naturalistic as possible, so keep this in mind when selecting the rocks. The hest kind to use set those between the round or builder type and the fing or fingitions they give a spotty, artificial effect. work. Use equal parts of vegetable fibre, garden loom, and coater, sharp sand ardee learn, and coarse, sharp sand,

Lay the lower rocks first and place each upper rock to that it recedes from the one henesth. Tramp the soil

rightly into the cravices to eliminate air Tile the broadest surface of

each rock so that the rain water can run

into the soil anthers—this is important or

For instance, drooping plants abould be

near the con tafted varieties with short

Hower stalks, in crevices and creeping plants will embion the flat areas. Dwarf Everyrees and Sheehe are at home in the

rockery, while taller varieties serve as a

ALYSSUM

The Alysaums are useful edging plants. The averall Sames Alysoum: is probably more used than any ather kind. The personnel sorts officed here are nomember tabler and none of them thoses very early in the masses revolutes the boom very early in the masses revolutes the

edging plants at a time most gazual of are not yet in flower. Good rock plants require no special treatment, abdrough like planty of available. ASTER. Alpine

A very heartiful class of hardy planes, in-cluding a great variety of forms which very a great deal in time of blooming, size of forests, and statuer. The dwarf, alphan spe-cies bloom early and are splended december planes for either anothery or hander. AQUILEGIA. Alpina A most under prove of decessive plants with graceful serges of flavous.

ARABIS These are edging plants of the highest quality, producing a man of white Basers very early in the season and previding a soft, pryside goon carpet throughout the east of the peason. Solontial back for exclu-vely adding berden.

ARENARIA CORSICAN SANDWORT. — 4 inches June. White Source. Sainable for reckweek

AUBRIETIA Charming firsts pleans closely related to the Alystoms title and used for the name gargone provising a mile range of purple, violent, and glade abades to inless pleans for

CAMPANULA Belifower

No mer interested in rock gardening officed to pass for the fillibrous, and so add tooders only septs there for stems their fance affects. They form a very land method their fance and better for a day to the fillibrous and a standard of absorbing interest and bettery for we purpose. The taller posts are redistress purpose. The taller note are indispensable for handsome garden effects, and the dwarfs syon are equally at home in the orchery as at the other of garden bods.

CHEIRANTHUS to 12 inches. May to July. Small places a rest atoms cowned by fire bands of dee a sampopelier fromers. One of the fines to be maximg as object. A very produkt towistic color combination is no place in will blue forgroup-not. It also looks assess plants for meaning or cogning, a very mandershrine color combination is to plane pule blue forget-one-note. It also look ongly well with durk purple, and violat white is not very good with it.

CERASTIUM 5 to 6 locker. May and June. Spreeding plans with olivery foliage governed with a short of healt white flowers. Used principally furing and rockwork. It is especially good corners of store stops and in gray followers with low pink flowers.

DIANTHUS, Piak Delightful edging or border plants Delight'st origing or border planer, also it-tuishes a great many excellent eyek plants. It Danahuse family is extensive and has long be-one of the more popular greats flavors, embraci-the freguent, obl-fashioned Fisch and Carastine the freguent, obl-fashioned Fisch and Carastine they file good only and a situation which they file good only and a situation which we day to winter. They should be planned masses to get the bost effects.





The Maiden Pink, Dianthus Deltoides, has a delicate charm quite distinct from other Dianthus





Icir Demila



Saponaria Orymoidea

ERIGERON

Fravensials of vary oney collers, producing some the flowers on shoulder name ricing from a compact reserve along pleated in mann in the border or years along pleated in mann in the border or pleated in the collection of the collection

ERYNGIUM

2 It. A hold pleravaque place with summoon books of flowers of accessive blue, which order extends to the fervet of the upper part of the plant.

GENTIANA

Vary showy pient for the elek griefen, should be pulmed in a molts position with pienty of tenders.

There are monager the most granded plants for the breder and for guiden with a product of the control of the product of the produc

THE LEATH I TREMMON

The supplishing beauty of the Dyn Stone stoonlines energone who is not finalize with them. The why energy the stoonlines of the stoonline of the stoonline

Forms a close, deare given carpet. Used as a ground cover. I facts.

IBERUS

Pressy, compact please with dense muses of fovers. For the rack garden.

Security For the role profess.

HRIS PUMILA, Ministerer Plag
These beautiful late friend do not give west four tolders and the result of the role of t

LINUM
Martine visual splents of degrees hidely, excitable for the nodery or bonders.

A plan Street, Adapting A plan of the selection of the s

NEPETA
A melal plans for books or cutary. Goycish
foliage. Foliage has precliber bet phenicing perfease.
DENOTHERA
A very useful books plans for many positions.
DENOTHERA
Eve Sewers are none certainties and scaling assumable, the control little relationship of the results are not perfectly as the control of the results are not perfectly assumable, the control of the results are not perfectly assumable the perfectly designed to the results of the results are not perfectly assumed to the replace pricing plant, when taking processing in the replace pricing plant, when taking

Associative in the reptury curing per, when that below it more profess.

SAPONARIA

6 inches. May to August. A half-ending plast, suched for medworks, with belificate pind flowers in loose, from Curron. Very theory and official control control curing the second curing the second control curing the second curing the second control curing the second curing

Bold, evaquese foliage plant for exchary, horder, under teen, or watership. 13 inches. SEDUM Of explort possible culture, the Belants will there for those everyone, and apparently in some of the most inhesitable plants. They will not endow demonstrate, however, and apparently in the control of the second inhesitable plants. They will not endow demonstrate, however, and the plants of plants of the plants of the plants of the plants final for endering, exclude harvees manual, covering, but not only provided of the provided

SEMPERVIVUM

A most inversiding proup of plants mitable for der walls, nodories, and odgings. All of them form fires, finity committee of follogie with amelin



offsets, from which they derive their common many of "Her and Chichens." For all them bleast much in summer and they are structive chicky for their very rations habit and amounting form. \$11,ENE.

A very power (such of effects related to the picks. They make shows little edition and how one of effects and how one of the edition of of th

THALCTRUM. Meedouvus Ursensty sanot plant, branch due in former and leging, which must attractive throughout the sanot to study and the sanot attractive throughout the sanot sanot the sanot sanot the sanot sano

Ting did fashioned seen hater walcolds lee offsig, time work, and low crypts brilling. There was an advertised to the seen and with it for the fragment shaded when the plants are breaked or brained.

TUNICA
SAXIFAGGA—A very postary radial glains with fight pink flower, produced all creamer. Under cities for the prokeys or for the handle.

A large and very interesting family verying frees reception ruch plants to heavy shrinks. They all do well in motor toll and half shade, but prefer the fall realight. In masses their make a virid sphale of rich bloot in their season, not the falling of all of those is untractive about their faceurs may gone.



Sedam Acre



Caragana Heders and Windbreaks on the Prairie

LAWN GRASS SEED A Beautiful Lawn in Four the sell by relling. This is very im-

Weeks From Sowing Portant an

It is impossible to unife a good lawn by sowing set of a single variety, which is at its best only for a portion of the growing season. Our Lawn Grass Mixture consists of four different varieties of fine-based dwarf grasses, which are at their best at different periods during the sommer, different periods during the sommer, throughout the station. Contains a small portion of White Dutch Clover,

This lawn grass mixture has proved highly astifactory. It is the resolt of years of practical experience and study, and we can with confidence recommend (i to our customers who may be contemplaining a new lawn. As the price of the grass seef represent only a small part of the actual investment it is therefore false economy to purchase a cheep grade of lawn seed. When figuring how many pounds of word required, figure 1 pound to every most properties.

How to Make a Good Lawn PLOUGH and grade area to be sown removing all rubbith such as sticks stones and personial ward roots. It the soil is poor apply a beavy dressing of well rotted manure, (free from perennial weed seeds.) working it well into the soil. Cover the whole area with rich, clean soil four to six inches thick, which should be well pulverized and raked and rolled several rimes in order to secure a firm seed bed. Choose a calm day for sowing, otherwise much of the seed will be blown away by the wind. Distribute the seed as evenly as possible. After sowing, cover the steds by raking the plot very lightly, Firm norrant and thould not be neglected. Keep the plor moint after towing and roll it again as soon as the grass has made about ean einch of growth. Under towardle conditions the lawn will need nowing within one month will need nowing within one month to sow seed it May 15 to July 1. It to sow seed it May 15 to July 1. It to sow seed it May 15 to July 1. It does not sow that the seed, and rake it in. Then sow the other half in the opposite direction or crosswite and rake the second time. This will

seed.)

PRUNING

The pruning of established shrubs is done to keep the plant within bounds, of shapely habit, and to to-curage the growth of wone healthy

eventually replace the old weak wood. Do not shear the top of a shrub, this early encourages a lot of new growth at the top which will be cut off next year. A shrub that is a mass of old wood, or wood of a twiggy nature will never produce flowers of good quality.

When to Prune

well ripened wood from the base, to

For the purpose of pruning, shrubs can be divided into two classes. Early flowering shrubs that flower on the eld wood, and those that flower later in the season on wood of the current year's growth. Those that flower on the old wood should be proped immediately after flowering, they will then make their new growth ready for flowering the following year. Shrubs that flower on the new wood should be gruned in late winter or early enries. No shrubs should be oruned in the fall, as the wounds do not have time to heal before the severe frosts set in.

Hedges should be trimmed so that they are narrower at the top. This northod permits light and air to reach all the branches. A hedge that is allowed to become wider at the top will get thin and ragged at the base.

WINTER PROTECTION OF SHRUBS To athieve the very best consists use

strongly recommend burling nore and covering with sail, or scapping with burlep, the following Roses, Strabs, and Fruits.

Train.

C. F. Meyer Roses
Assorbed S. Van Housel
Hydrages
Hotes, Alcood
Not.—This soil covering about be
removed the last week in Anni.

! Buy With Confidence! orders placed with us mean satisfaction

TO YOU BECAUSE—

1.—You will have good results with our hardy acclimated plants grown here in the north.

 The well-shaped development of our stock will delight you.

3.—Our successful experience for twenty-five years as nursery-men and landscape designers insures dependable and reliable service.

 We help you with full planting directions and cultural care.
 YOUR CORRESPONDENCE IS ALWAYS WELCOME Computers freely for any further information you need. We want the

opportunity to help you and no effort will be spared to make every order we send you give entire satisfaction.

Lacombe Nurseries Phone No. 1 Lacombe, Alta.